



CONTACTEZ VOTRE REVENDEUR:

CADVISION www.cadvision.fr **2, RUE GALILÉE 78280 GUYANCOURT** TÉL. 01.39.30.65.06 FAX. 01.39.30.65.08



ULTRA-HIGH PRECISION, FAST LASER SCANNER

CLEANEST 3D DATA CAPTURE FORMINIMUM PROCESSING TIME

IDEAL FOR CONSTRUCTION, INSPECTION AND PRODUCT DESIGN

The fastest, most accurate laser scanner for capturing large objects such as wind turbines, ship propellers, airplanes and buildings. Producing 3D data of the highest quality, Artec Ray scans with submillimeter distance accuracy and best in class angular accuracy. Furthermore, data capture is cleaner than that from any other 3D scanner of this type, with noise levels at an absolute minimum. This speeds up data processing significantly, making it a hassle free job.

REVERSE

ENGINEERING

INSPECTION

CONSTRUCTION (BIM)



APPLICATIONS

PRODUCT DESIGN



FORENSICS



HERITAGE PRESERVATION





DISTRIBUTEUR FRANCE WWW.cadvision.fr

www.artec3d.com

EASY 3D SCANNING, HIGH PRECISION RESULTS

SCANNING WITH ARTEC RAY IS EASY

• •

Just place it on a tripod in front of your object and press the button! Portable and compact, you can set it up indoors or outdoors, without need for a power source, since the internal battery will last you for up to 4 hours.

SOFTWARE

Scan and process directly in the powerful Artec Studio, then seamlessly **export to Geomagic Design X**.







THE FULL 3D SCANNING PACKAGE









Pair it with an Artec handheld scanner, such as Leo, Eva or Space Spider, to scan difficult to reach areas, e.g. the interior of a car, or to easily add intricate detail to a large-scale 3D model. Armed with Artec Ray and an Artec handheld scanner, there will be virtually no limits to what you can capture in 3D.


SPECIFICATIONS	High Quality mode	High Sensitivity mode
Recommended work range	1-50 m	1-110 m
Ranging error	<0.70mm @ 15m	<0.90mm @ 15m
Angular accuracy	25 arcsecs	25 arcsecs
Range noise, 90% reflectivity	0.12 mm @ 15 m	0.25mm @ 15m
Range noise, 10% reflectivity	0.30mm @ 15m	0.70 mm @ 15 m
Speed	208,000 pts/sec	
Full volume scan time	122,000 pts/sec	
Scanning modes	Autonomous or via USB	
Color	Two fully integrated 5 megapixel cameras	

FIELD-OF-VIEW PER SCAN

Horizontal (maximum)	360°
Vertical (maximum)	270°

PHYSICAL DIMENSIONS AND WEIGHT

Weight with battery	5.74kg
Dimensions L × H × W	287 mm × 200 mm × 118 mm





www.artec3d.com

KEY SPECS

Range	Up to 110 m	Range noise, 90% reflectivity	0.12 mm @ 15 m
Ranging error	<0.70mm @ 15m	Range noise, 10% reflectivity	0.30mm @ 15m
Angular accuracy	25 arcseconds	Color	Two fully integrated 5 megapixel cameras
Hassla-free export into	Mash OB L DLV WDL STL A		int cloud: BTX DTX XV7

Hassle-free export into

Hassle-free export intoMesh: OBJ, PLY, WRL, STL, AOP, ASC, PTX, E57, XYZRGa wide range of formats:CAD: STEP, IGES, X_TMeasurements: CSV, DXF, XML Mesh: OBJ, PLY, WRL, STL, AOP, ASC, PTX, E57, XYZRG Point cloud: BTX, PTX, XYZ

SYSTEM SPECIFICATIONS

Scanner type	Phase shift, hemispherical scanner with $360^\circ \times 270^\circ$ FOV
Distance measurement method	Phase-shift
Laser wavelength	1550nm
Laser type	Continuous wave
Laser class: (IEC EN60825-1:2007)	Class 1
Internal coordinate representation unit	0.001 mm
Angular position data	
Beam diameter at aperture	3mm
Internal angular representation unit (vertical/horizontal)	1 arcsec
Scan density control: software selectable	
Min. vertical point density	12 points/degree
Min. horizontal point density	2 points/degree
Max vertical point density	80 points/degree
Max horizontal point density	80 points/degree
Power specifications	
External power supply voltage	14 - 24 V DC, 30 W
Internal battery, powers the scanner for up to 4 hours	Two Li-Ion 14V, 49Wh batteries
Power consumption	30 W
Computer requirements	
Supported OS	Windows 7, 8 or 10 – x64
Minimum computer requirements	i5, i7 or i9 recommended, 32 GB RAM, NVIDIA GeForce 400 series



Contactez un revendeur près de chez vous:

- 🔇 + 33 (0)1 39 30 65 06
- info@cadvision.fr

Faites confiance au leader en France

IMPRIMANTES 3D ET CAO POUR LES PROFESSIONNELS

Esprit de service

Réactivité au quotidien, et adaptabilité aux besoins de nos clients sont la meilleure expression de notre esprit de service. Support technique de nos clients au travers d'une maintenance de proximité et de qualité. Services : Formations, Assistance sur site et consulting.

Qui Sommes-Nous

Filliale du groupe d'ingénierie français ING'EUROP, CADvision assure la commercialisation, la mise en place, les services de formation et le suivi technique sur l'ensemble de la gamme Stratasys.

Leader français sur le marché des imprimantes 3D professionnelles, nous revendons également des solutions de CAO 3D.

Quelques références clients :

AFM - AGCO - AIRBUS - ALCATEL-LUCENT - ALDEBARAN ROBOTICS - ALSTOM - AMESYS - ARCELOR MITTAL -ARVINMERITOR - ASTRIUM - ATMEL - AXEL - BAYER - BODET - BRUKER BIOSPIN - BWI - CANON - CASSIDIAN -CCG VERITAS - CEA - CHUBB SECURITE - CNES - CNRS - COBHAM - CONTINENTAL - COTY PRESTIGE BEAUTY -CYBERNETIX - DANONE - DCNS - DECATHLON - DELPHI - EADS - ESSILOR - E-SWIN - FAGORBRANDT - FIVES -FAURECIA - GE HEALTHCARE - GECINA - GILSON - GROUPE SEB - GROUPE CARAVELLE - HORIBA-HUTCHINSON - IFP - IFREMER - IMAJE MARKEM - INEO - INTERTECHNIQUE - ITER - ITW - JAEGER - JDSU -JOHNSON CONTROLS - KBS - KEOPSYS - LEGRAND - LES IUT - LES LYCEES TECHNIQUES - LES ECOLES D'INGENIEURS - LISI - LORIENCE - L'OREAL - MAIF - MAPED - MIKLI - MILLIPORE - MINISTERES - MITSUBISHI ELECTRIC - NAGRACARD - NESTLE - NEWELL - NEXTER - OLDHAM - ONERA - ORANGE LABS - PARKEON -PARROT - PHILIPS FRANCE - PITNEY BOWES - PSA PEUGEOT CITROEN - QINETIQ - QUALIFORM - QUALIPAC -QUANTHOUSE - RATP - REFLEX CONSULTING - RENAULT - RENAULT SPORT F1 - ROCKWELL COLLINS -RTE-EDF - SAGEM-SAFRAN - SAINT GOBAIN - SALOMON - SANOFI AVENTIS - SCHLUMBERGER - SCHNEIDER ELECTRIC - SEALYNX - SIEMENS - SNCF - SNECMA - STMICROELECTRONICS - TECHNICOLOR - THALES -TRELLEBORG - TRW CARS FRANCE - TYCO - UNIFIRST - UNIVERSITES FRANCAISES - VALEO - WINLIGHT SYSTEMS - XIRING - YAMAHA - ZODIAC



CADvision SAS 2, rue GALILEE 78280 Guyancourt Emailinfo@cadvision.frTel+33 (0)1 39 30 65 06Fax+33 (0)1 39 30 65 08

